


## GSECODECK/50

Ecodeck 50 500mm x 500mm x 50mm deep gravel and grass paver, ideally suited to car parks, caravan and camp sites, access roads, public driveways



### DESCRIPTION

Ecodeck 50 500mm x 500mm x 50mm deep gravel and grass paver, ideally suited to car parks, caravan and camp sites, access roads, public driveways

## SPECIFICATION

### General information

Stock code

GSECODECK/50

### Geocellular paving

Colour

Black

Length

500 mm

Width

500 mm

Height

50 mm

Weight per m2

5kg

## NOTES

### Extra information

Applications

Access roads, car parks, caravan and camp sites, public driveways

### Extra information

Filling	Gravel, Stone, Grass, Grass Seed, Soil, 3mm-30mm
Temperature Stability	-50°C to 90°C
Fitting	4 integrated V force push fit locking connections per side
Environment	Complies with S.U.D.S & Flood & Water Management Act 2010
Vehicle testing	Tested to withstand vehicles up to 30 tonnes
Compression test	500 tonne
Axle load	30 tonnes
Extra	Built-in anti-migration cell bottom lattice and anti-gravel movement ribs, cell-wall topped anti-slip nodules. Used on slop inclines of in excess of 1 in 4.
Guarantee	10-year guarantee

## BAY MARKERS

Easy to use parking bay markers with expansion clips are available for the Ecodeck 50 system. Bay markers are available in white, if you require a specific colour, please let us know and we can do coloured bay markers by special order.

## PACKAGING

Quantity per pallet	m <sup>2</sup> per pallet
260	65m <sup>2</sup>

1. Geoworks (trading as Wrekin Products Ltd.) continually seeks to improve its products and, therefore, reserves the right to alter product specifications without prior notice.
2. It is the responsibility of all users to satisfy themselves the above data is current.
3. Installation details are available on request.
4. All Geoworks products are supplied subject to our [Terms and Conditions of Sale](#).

